

Package: ftDK (via r-universe)

August 28, 2024

Type Package

Title A Wrapper for the API of the Danish Parliament

Version 1.0

Author Mikkel Freltoft Krogsholm

Maintainer Mikkel Freltoft Krogsholm <mikkel@56n.dk>

Description A wrapper for the API of the Danish Parliament. It makes it possible to get data from the API easily into a data frame.
Learn more at <http://www.ft.dk/dokumenter/aabne_data>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 2.10)

Imports httr, pbapply, purrr, dplyr, tibble

RoxygenNote 6.0.1

URL <https://github.com/mikkelkrogsholm/ftDK>

BugReports <https://github.com/mikkelkrogsholm/ftDK/issues>

Repository <https://mikkelkrogsholm.r-universe.dev>

RemoteUrl <https://github.com/mikkelkrogsholm/ftdk>

RemoteRef HEAD

RemoteSha 023601617ed0f5600f84928e026d53afb41e6e1e

Contents

api_endpoints	2
get_ft	2
null_to_na	3
see_endpoints	3

Index	4
--------------	----------

api_endpoints *The API endpoints at the Danish Parliament*

Description

A vector containing the endpoints for the API.

Usage

```
api_endpoints
```

Format

A vector

Source

http://www.ft.dk/dokumenter/aabne_data/

get_ft *Get data from the API*

Description

Get data from the API

Usage

```
get_ft(endpoint)
```

Arguments

endpoint is the endpoint in the API that you want data from.

Value

a data frame with the data requested

Examples

```
## Not run:  
library(ftDK)  
see_endpoints()  
ft_data <- get_ft("afstemning")  
ft_data  
  
## End(Not run)
```

null_to_na	<i>Turns NULL values in a list into NAs.</i>
------------	--

Description

Turns NULL values in a list into NAs.

Usage

```
null_to_na(mylist)
```

Arguments

`mylist` is a list, where the NULL values are to be turned into NAs.

see_endpoints	<i>See the available endpoints in the API</i>
---------------	---

Description

See the available endpoints in the API

Usage

```
see_endpoints()
```

Value

A vector of possible endpoints

Examples

```
library(ftDK)  
see_endpoints()
```

Index

* **datasets**

[api_endpoints](#), [2](#)

[api_endpoints](#), [2](#)

[get_ft](#), [2](#)

[null_to_na](#), [3](#)

[see_endpoints](#), [3](#)